




PVC Ball Valve



FEATURES

- Easy to Handle & Install.
- Handle made of Polyamide with Metal Insert. (For Long handle only)
- Corrosion and Weather resistant.
- UV stabilized.

Pn Rating: 10 BAR Seel: NBR Seat: TPE



THREADED TYPE CONNECTION SINGLE UNION FEMALE FEMALE

CODE	SIZE
IR-81TSFF	3/4"
IR-82TSFF	1"
IR-83TSFF	1 1/2"
IR-84TSFF	2"
IR-85TSFF	3"

THREADED TYPE CONNECTION SINGLE UNION FEMALE MALE

CODE	SIZE
IR-91TSFM	3/4"
IR-92TSFM	1"
IR-93TSFM	1 1/2"
IR-94TSFM	2"
IR-95TSFM	3"



SOLVENT TYPE SINGLE UNION

CODE	SIZE
IR-111SS	3/4"
IR-112SS	1"
IR-113SS	1 1/2"
IR-114SS	2"
IR-115SS	3"



SOLVENT TYPE SINGLE UNION


CODE	SIZE
IR- 131SSM	25 mm
IR- 132SSM	32 mm
IR- 133SSM	50 mm
IR- 134 SSM	63 mm
IR- 135 SSM	75 mm
IR- 136 SSM	90 mm

Double Union PVC Ball Valve



FEATURES

- Easy to Handle & Install.
- Handle made of Polyamide with Metal Insert. (For Long handle only)
- Corrossion and Weather resistant.
- True union design for easir installation or repairs without expanding the pipe system
- UV stabilized.



THREADED TYPE CONNECTION DOUBLE UNION FEMALE FEMALE

CODE	SIZE
IR-71TDFF	1 1/2"
IR-72TDFF	2"
IR-73TDFF	2 1/2"
IR-74TDFF	3"



SOLVENT TYPE DOUBLE UNION

CODE	SIZE
IR-101SD	1 1/2"
IR-102SD	2"
IR-103SD	2 1/2"
IR-104SD	3"

SOLVENT TYPE DOUBLE UNION

CODE	SIZE
IR-111SDM	50mm
IR-112SDM	63mm
IR-113SDM	75mm
IR-114SDM	90mm

FEATURES

- Easy to Handle & Install.
- Handle made of Polyamide with Metal Insert. (For Long handle only)
- Corrosion and Weather resistant.
- UV stabilized.

Pressure Rating: 10 BAR

Seal: NBR

Seat: TPE backed with NBR

FLANG TYPE CONNECTION

CODE	SIZE
IR-60FL	2 1/2"
IR-61FL	3"



IRRILINE Technologies Corp.

1300-1500 West Georgia Street, Vancouver, BC, V6G 2Z6, Canada.

Tel : 001 604 6084315, Fax : 001 604 6084319

E-mail: sales@irriline.com Web: www.irriline.com

Member



Member



Irrigation Industry Association
of British Columbia

